



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

ELEMENT MATERIALS TECHNOLOGY DALEVILLE, LLC
DBA ELEMENT WARSAW
909 Executive Blvd
Warsaw, IN 48674
Johnny Hill Phone: 574 267 3305

BIOLOGICAL

and (74 167 330)ud. E8J Td(ng4. E6C a)CID70 n aw (30)s(1)6.2 s
Laboratories Performing Microbiological and Chemical Analyses of
accreditation is granted to this laboratory to perform the following tests:

feed, and pet treats:

<u>Test(s)/Technology(ies)</u>	<u>Test Method(s)</u>
Enterobacteriaceae (Petrifilm™)	AOAC 2003.01
<i>Escherichia coli</i> (Petrifilm™)	AOAC 990.11E; AOAC 991.14; AOAC 998.08;
<i>E. coli</i> O157:H7 (PCR)	AOAC RI 021501
<i>Listeria monocytogenes</i> (PCR)	AOAC RI 061302
<i>Listeria</i> spp. (PCR)	AOAC RI 071304
<i>Salmonella enteritidis</i> (PCR)	SOP No. 7011
<i>Salmonella enteritidis</i> (Reveal)	AOAC RI

<u>Test(s)/Technology(ies)</u>	<u>Test Method(s)</u>
Yeast & Mold (Rapid Petrifilm™)	AOAC 2014.05

In recognition of the successful completion of the A2LA evaluation process, accreditation is granted to this laboratory to perform the following tests on water, drinking water, wastewater, and soap:

<u>Test(s)/Technology(ies)</u>	<u>Test Method(s)</u>
<i>Candida albicans</i> <i>Clostridia</i> <i>E. coli</i> <i>Pseudomonas aeruginosa</i> <i>Salmonella</i> <i>Staphylococcus aureus</i>	USP <62>
Total Microbial Count	USP <1231>

Total Aerobic Microbial Count (TAMC);
Total Yeast & Mold Count (TYMC) – Microbial Limits
Test

USP <61> 4.196 0 Td.361 0.48 re1.12 H5..002 (>)TJ0 Tc



A2LA has accredited

for technical competence in the field of

Biological Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 . This laboratory also meets the requirements of A2LA

. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system ().

Presented this 1st day of December 2022.

Mr. Trace McInturff, Vice President, Accreditation Services
For the Accreditation Council
Certificate Number 6462.01
Valid to